




Unique **SEAFLEX**

A Unique Maritime Group Company

SEAFLEX WATERLOAD™ 5T SPECIFICATIONS

www.seaflex.co.uk

UNIQUE SEAFLEX WATERLOAD STANDARD 5t UNIT LOW HEADROOM VERSION



It should be noted that 5t bags are up to 0.9m taller when empty, and sufficient headroom is required to allow for this, plus any valve and hose that may be fitted for discharge


PRODUCT WEIGHT - 56kg App.
ILLUSTRATION ONLY - DO NOT SCALE

UNIQUE SEAFLEX 5t WATERLOAD BAGS ARE SUPPLIED COMPLETE AND READY FOR USE WITH 2" FULL BORE DISCHARGE HOSE FOR RAPID EMPTYING. J TUBE FITS STANDARD FIRE HYDRANT FITTING, HOSE CAN BE SUPPLIED IF REQUIRED.

THE INTELLECTUAL CONTENT OF THIS DRAWING IS THE COPYRIGHT OF UNIQUE SEAFLEX Ltd. CONTENTS ARE ACCURATE AT TIME OF GOING TO PRESS, BUT MAY CHANGE WITHOUT NOTICE.

MANUFACTURED IN ACCORDANCE WITH ISO 9001:2008 PROCEDURES SUPPLIED WITH LOG BOOK CONTAINING PRIMARY CERTIFICATION AND CERTIFICATE OF CONFORMANCE

WATERLOAD BAGS INDEPENDENTLY TYPE TESTED BY TUV NEL LTD WITH A SAFETY FACTOR OF 6:1.
CERTIFICATE NO. 0039



01	08.08.12	Drawing Amended and Renumbered from 1401023MLB	GJP	GSB
Rev	Date	Description	Drawn	Checked



Unique SEAFLEX
A Unique Maritime Group Company

**SEAVIEW ROAD
COWES
ISLE OF WIGHT
ENGLAND
PO31 7US**
TEL: +441 983 290 525
www.seaflex.co.uk

TITLE 5t WATERLOAD BAG (WLB)			
SCALE N.T.S @ A4	DATE 08.08.2012	DRAWN GJP	CHECKED GSB
DRAWING No. 5tWLB - 016 - SS			REVISION 01

Certificate of Type Test



Issued by : NEL

Certificate No. : 0039

Date of Issue: 26 October 2000



NEL
East Kilbride, Glasgow
G75 0QF, United Kingdom
Tel No. +44 (0)1355 220222
Fax No. +44 (0)1355 272999

Page 1 of 2

Approved Signatories
L Hunter , D Hare

Customer Seaflex Ltd.

Customer Address Samuel Whites, Cowes, Isle of Wight, PO31 7RA.

Order No **Project No.** WAW011000

NEL Test Mark MQFY - 2 **Certificate No.** 0039

Specimen received date 25 October 2000 **Date of Test** 26 October 2000

Date of next test N/A

Specimen Description Seaflex Ltd 5 Tonne Low headroom WLB

Identification Mark

Type of Test Type test in accordance with Health & Safety Executive Notice 3/88 & Guidance No. IMCA D016.

Test Machine Used D1

Peak load achieved on snatch test 30.3 Tonnes

Test Result Pass

Comments Full Dimensional Specifications Recorded and Retained by N.E.L.

Distribution

Seaflex Ltd.	1 copy
NEL	1 copy

Tested by D. Hare

This certificate is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to recognised national standards, and to units of measurement realised at the National Physical Laboratory or other recognised national standards laboratories. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Key Features and Benefits at a Glance

For Your Peace of Mind

- Fully compliant with LEEA 051 guidelines and also with ABS Product Design Approval (PDA).
- Strops compliant to BS EN 1492 Part 1.
- Manufacturing traceability for each product back to component level.
- 6:1 safety factor verified by TÜV NEL Type Test.
- High performance structural fabric canopy.
- RF welded seams for strength and integrity.
- Webbing harness terminates with single steel lifting ring.
- Rental units inspected and tested between every single job.



For Your Ease of Operation

- User-positioned “swan-neck” filling system.
- Fire-hose inlet and quick-dump outlet.
- Integral handling ladders.
- Can be used in clusters for loads of up to 150 tonnes on a single hook, multiple clusters can be used for higher loads.
- Can be supplied complete with load cells and load shackles.
- Delivered ready for immediate use with universally compliant documentation: WaterLoad bag-specific log book containing certification, service records and operating manual.

Unit		Packed				Filled	
Type	Kg	L	W	H	Kg	Diameter	Height
1-WLB	1,000	0.50	0.35	0.25	22	1.60	1.90
2-WLB	2,000	0.75	0.40	0.25	33	1.80	2.50
3-WLB	3,000	0.80	0.35	0.30	42	1.80	2.70
5LH-WLB	5,000	0.90	0.50	0.35	58	2.20	3.10
10-WLB	10,000	1.10	0.50	0.40	85	2.30	4.80
15-WLB	15,000	1.20	1.00	0.40	145	2.70	5.40
20-WLB	20,000	1.20	1.00	0.55	160	3.20	5.50
25-WLB	25,000	1.20	1.10	0.65	210	3.80	5.90
35-WLB	35,000	1.20	1.10	0.80	240	4.15	6.60
50-WLB	50,000	2.10	1.20	0.80	416	4.20	8.00



Unique **SEAFLEX**

A Unique Maritime Group Company

Seaview Road, Cowes, Isle of Wight, PO31 7US, United Kingdom
Tel: +44 1983 290 525 Fax: +44 1983 295 853 Email: sales@seaflex.co.uk

www.seaflex.co.uk

Company Registration Number 2121139 VAT number 458760608

